


No.	DESCRIPTION	MATERIAL DESCRIPTION
1	BODY	CAST LOW LEAD BRASS ALLOY
2	CAP	CAST BRASS ASTM B62 ALLOY C83600
3	STEM	LOW LEAD BRASS ALLOY
4	BALL	LOW LEAD BRASS ALLOY
5	GASKET	ASTM D2000 (NITRILE)
6	SOLID PIN	AISI 303 STAINLESS STEEL
7	O-RING	ASTM D2000 (EP)
8	END PIECE	CAST LOW LEAD BRASS ALLOY
9	O-RING	ASTM D2000 (EP)
10	PJ GASKET	BUNA-N ASTM D2000
11	PJ WASHER	POLYPROPYLENE
12	CLPG NUT SUB	CAST BRASS ASTM B62 ALLOY C83600

SIZE	A
3/4"	3.36
1"	4.52
1-1/2"	4.69
2"	5.22



ALL WETTED PARTS ARE LOW LEAD BRASS ALLOY

FILEPATH: PROD-ENG\JAMESJONES\SUBMITTALS\E1921

						DRFTR JGarvin	3/1/10	JONES	UNLESS OTHERWISE NOTED		THIRD ANGLE PROJECTION		
						CHKR			SURFACE PREPARATION: BREAK CORNER(S) ---- .000 SURFACE FINISH --XX RMS	REF. No.		SCALE FULL	
						ENGR							
						MGR			BY		DATE		
								STK No:					
						MAT'L:							
						DESCR. LLB BALL TYPE CURB VALVE (PJ CTS x FIP)						DWG NUMBER E1921	
REV	ECR	DESCRIPTION	DATE	BY	CHKR								

DWG NUMBER
E1921
JJ-MRKTG

TITLE TO AND OWNERSHIP OF THIS ENGINEERING DATA REMAINS IN Mueller Co. NO USE IS TO BE MADE OF THIS DATA EXCEPT AS SPECIFICALLY AUTHORIZED BY Mueller Co. ASSENT ON THE PART OF THE RECIPIENT TO THESE CONDITIONS IS PRESUMED